

# Material Safety Data Sheet

**Quick Identifier:** Anti Static Solvent 100-VR-1241

RUCO Druckfarben  
A.M. Ramp & Co. Gmbh  
D-65814 Eppstein/Ts.

**Hazard Ratings:** Health 1  
Flammability 2  
Reactivity 0

## Section I

**Distributors:** Imtran  
**Address:** 39 Shelley Road  
**City/State/Zip:** Haverhill, MA 01835

**Information:** Tel: +49-6198-3040 (RUCO)  
Tel: 978-372-3443  
Fax: 978-372-9817

**Person Responsible for Preparation:** Dr. H. Nitschke **Date Prepared:** July 1996

## Section II Hazardous Ingredients

Hazardous Component(s) (Chemical & Common name(s))	OSHA PEL (ppm)	ACGIH TLV (ppm)	Other Exposure Limits (ppm)	Range (weight-%)	CAS-No.
Cyclohexanone	25		25 (MAK)	10 - 20	108-94-1

\*\*\*The product does not contain any ingredients being classified toxic according to EU regulations\*\*\*

## Section III Physical & Chemical Characteristics

**Boiling Point** 156°C ( 313°F) **Specific Gravity (H2O = 1)** 0.85 **Vapor Pressure (mbar)** 4.5

**Vapor Density** Heavier than air (3-4) **VOC (ingredients with vapor pressure > 0.1 mbar)** 765 g/l

**Solubility In Water** insoluble **Reactivity In Water** none

**Appearance & Odor** Clear liquid with odor of organic solvents **Melting Point** Unknown

## Section IV Fire & Explosion Data

**Flash Point** 43°C ( 109°F) **Method Used** Closed cup **Flammable Limits** In Air % by Volume **LEL (Lower)** 1.0 **UEL (Upper)** 9.8

**Auto-Ignition Temperature** 335°C ( 635°F) **Extinguishing Media** Chemical powder, foam, carbon dioxide

**Special Fire Fighting Procedures** Foam in large quantities. Cool endangered containers with water.

**Unusual Fire & Explosion Hazards** Heat, sparks, open fire or static electricity may cause combustion of the product. When pouring liquid from one container to another, keep both containers well grounded.

## Section V Physical Hazards (Reactivity Data)

